

A Critical Look at

# Surgical Case Carts

Single- & Double-Width Stainless Steel Case Carts • Internal & External Components

*6"-diameter plate casters* ... *Interlocking cabinet design*      *Stainless steel interchangeable chassis* ... *Double-panel reinforced doors with drainage*      *Removable/adjustable latches*  
*Stainless steel roller bearing drawer slides* ... *Internal adjustable shelves with shelf lock*  
*Individually-replaceable components*      *See inside for more standard features* →



*double-width cart shown with  
pull-out shelves*







# To order a cart...

## Step 1 Select cart body.

- Type 300 series stainless steel construction
- Double-panel reinforced doors with removable positive latching system
- Bumper with reinforced corners
- Letter-size document holder
- Push handles



### SINGLE-WIDTH CARTS...

OUTSIDE DIMENSIONS OF CABINET			OVERALL DIMENSIONS			model #
front-to-back	end-to-end	height	front-to-back	end-to-end	height*	
24 <sup>3</sup> / <sub>4</sub> "	24"	21 <sup>3</sup> / <sub>4</sub> "	30"	29"	31 <sup>1</sup> / <sub>2</sub> "	SMS83ESCSC1
24 <sup>3</sup> / <sub>4</sub> "	24"	30 <sup>3</sup> / <sub>4</sub> "	30"	29"	40 <sup>1</sup> / <sub>2</sub> "	SMS83ESCSC2
24 <sup>3</sup> / <sub>4</sub> "	24"	47 <sup>3</sup> / <sub>4</sub> "	30"	29"	57 <sup>1</sup> / <sub>2</sub> "	SMS83ESCSC3

### DOUBLE-WIDTH CARTS...

OUTSIDE DIMENSIONS OF CABINET			OVERALL DIMENSIONS			model #
front-to-back	end-to-end	height	front-to-back	end-to-end	height*	
24 <sup>3</sup> / <sub>4</sub> "	39"	47 <sup>3</sup> / <sub>4</sub> "	30"	46"	57 <sup>1</sup> / <sub>2</sub> "	SMS83ESCSC4
24 <sup>3</sup> / <sub>4</sub> "	39"	30 <sup>3</sup> / <sub>4</sub> "	30"	46"	40 <sup>1</sup> / <sub>2</sub> "	SMS83ESCSC5
24 <sup>3</sup> / <sub>4</sub> "	49"	30 <sup>3</sup> / <sub>4</sub> "	30"	55"	40 <sup>1</sup> / <sub>2</sub> "	SMS83ESCSC6

\* Heights include 6"-diameter casters. See Step 2 for casters.

Custom sizes available. Contact factory.

## Step 2 Select casters.

Stainless steel. 6"-diameter wheel. Set of four.

description	add suffix # *
two swivel casters, two swivel with brake	-SWB
one swivel caster, one with brake, two swivel-lock	-SWBL

\* Example: ELCSC-1-SWB



swivel  
caster



swivel-lock  
caster

## Step 3 Select internal shelves.



### PERFORATED SHELF

Stainless steel. 3/4"-diameter perforations.



### WIRE SHELF

Stainless steel heavy gauge wire.



### SOLID SHELF

Heavy gauge type 300 stainless steel.

description	model #
for Single-Width Carts	SMS83ELCSCSP
for Double-Width Carts	SMS83ELCSCDP
for Extended Double-Width Carts	SMS83ELCSCPE

description	model #
for Single-Width Carts	SMS83ELCSCSW
for Double-Width Carts	SMS83ELCSCDW
for Extended Double-Width Carts	SMS83ELCSCSEW

description	model #
for Single-Width Carts	SMS83ELCSCSS
for Double-Width Carts	SMS83ELCSCDS
for Extended Double-Width Carts	SMS83ELCSCES



SOUTHWEST SOLUTIONS GROUP